UNIFORM HAZARDOUS CALCULATION OF THE PROPERTY			2. Page 1 Information in the shaded areas is not required by Federal law.			
M. Generator's Name and Mailing Address raft Co. 19503 S. Normandie Avenue			A. State Manifest Document Number 89479055			
Torrance, CA 90502 213 533-6677 K. L. Ander	son 722 M/S C	6-10	B. Sta	te Generator's 18	.0.0.	5.6.9.8
5. Transporter 1 Company Name J.C.I. Environmental Services 6. US EPA ID Number C.A.D.O.5.8.0.1.8.3.6.7 7. Transporter 2 Company Name 8. US EPA ID Number				te Transporter's ID	1 12	3120 3137
			E. State Transporter's ID F. Transporter's Phone			
9. Designated Facility Name and Site Address 10. Chem Tech Systems, Inc.	US EPA ID Number	111	46.00	te Facility's ID	10.14	A1618111
3650 E. 26th St.			C A T D 8 D D 3 5 6 8 1 H. Facility's Phone (213)268-3387			
Vernon, CA 90023 11. US DOT Description (Including Proper Shipping Name, Hazard Class	1 1 1 1 1 1	12. Cont	1	13. Total Quantity	14. Unit	I. Waste No.
		No.	Type		Wt/Vol	State 221
Hazardous waste liquid, n.o.s., ORM-E NA9189, (D006, D007, & D008)		0 0 1	T _I T	0 5 0 0 0	6	EPA/Othe/GDOC
b. (1)						State EPA/Other
		11	1_	1111	71	State
	troop.	111	1	1111		EPA/Other
d. 3						State EPA/Other
J. Additional Descriptions for Materials Listed Above		لتلك	L K. Ha	ndling Godes for V	Vastes L	
Oil & Grease 10 to 60% Chromium 5.20 ppm Cadium 2,40 ppm			a.		b.	
Lead 9.10 ppm ' Water =	Remainder		C.	20 June 1971 20 July 1971 40 July 1972	d.	
See Attached Analytical Report 15. Special Handling Instructions and Additional Information	ppo	FILE #6	G_91		ı	
Guide# 31 Use gloves, goggles, respirator. Return to Shipper if Rejected.	HAU	areas,	199		4	ering of
39-T 16.					ett.	- 185 - 185
GENERATOR'S CERTIFICATION: I hereby declare that the contein and are classified, packed, marked, and labeled, and are in all responational government regulations.	pects in proper condition	tor transport	oy nigni	vay according to a	phiicanie	; iliterilational and
If ham a large quantity generator, I certify that I have a program in to be economically practicable and that I have selected the practic present and future threat to human health and the environment; OR	able method of treatment . if I am a small quantity	i, storage, or generator, I f	บเรยบริส	I Cultellia Gaduari	C IO IIIO	
generation and select the best waste management method that is a Printed/Typed Name	Signature	can afford.				Month Day
Kris L. Anderson Agent for M.D.A.C. 17. Transporter 1 Acknowledgement of Receipt of Materials					** +***	
Printed/Typed Name C. RODRIGUEZ Signature C. Signature					Month Day	
18. Transporter 2 Acknowledgement of Receipt of Materials	Signature		S			Month Day
	ostation structure and the control of the control o					11111
Printed/Typed Name			X 2 2300		\$2.00 EAST	
Printed/Typed Name	GN 6.					
Printed/Typed Name 19. Discrepancy Indication Space ###################################	GUS.	anifest even	y se ne	ted in Item 19		t s
Printed/Typed Name	CALS.		ot as no			Month Day

DHS 8022 A (1/88)

EPA 8700-22 (Rev. 9-88) Previous editions are obsolete. Do Not Write Below This Line